Form No. 10-300 (Rev. 10-74)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

TA SHEET

FOR NPS USE ONLY

RECEIVEDNOV 2 4 1975 NATIONAL REGISTER OF HISTORIC PLACES APR 3 0 1976 **INVENTORY -- NOMINATION FORM** DATE ENTERED SEE INSTRUCTIONS IN HOW TO COMPLETE NATIONAL REGISTER FORMS TYPE ALL ENTRIES -- COMPLETE APPLICABLE SECTIONS 1 NAME VLR Listed: 10/21/1975 NRHP Listed: 4/30/1976 **Burlington 2 LOCATION** 1.5 miles west of Petersburg; south side of Upper Appomattox Canal; .3 mile northeast of intersection of Route 600 and Route 601. STREET & NUMBER _NOT FOR PUBLICATION CITY, TOWN CONGRESSIONAL DISTRICT Fourth (Robert W. Daniel, Jr.) Petersburg X___ VICINITY OF STATE CODE COUNTY CODE Virginia 51 Dinwiddie 053 CLASSIFICATION **CATEGORY OWNERSHIP STATUS PRESENT USE** __DISTRICT __PUBLIC X_OCCUPIED __AGRICULTURE __MUSEUM XXBUILDING(\$) X PRIVATE _UNOCCUPIED PARK __COMMERCIAL _STRUCTURE BOTH **_WORK IN PROGRESS** __EDUCATIONAL XX PRIVATE RESIDENCE __SITE **PUBLIC ACQUISITION ACCESSIBLE** _ENTERTAINMENT __RELIGIOUS __OBJECT IN PROCESS _YES: RESTRICTED _GOVERNMENT _SCIENTIFIC __BEING CONSIDERED __YES: UNRESTRICTED __INDUSTRIAL _TRANSPORTATION X_NO __MILITARY _OTHER: OWNER OF PROPERTY NAME Mr. and Mrs. Robert Bates STREET & NUMBER RFD 4, Box 102 CITY, TOWN STATE Petersburg VICINITY OF Virginia LOCATION OF LEGAL DESCRIPTION COURTHOUSE, REGISTRY OF DEEDS, ETC. Dinwiddie County Courthouse STREET & NUMBER CITY, TOWN STATE Dinwiddie Virginia REPRESENTATION IN EXISTING SURVEYS (2) TITLE (1) Historic American Buildings Survey Inventory (See Continuation Sheet #1)

SURVEY RECORDS CITY, TOWN

DATE

1959 DEPOSITORY FOR

Washington

Library of Congress

STATE

XXFEDERAL _STATE _COUNTY _LOCAL

D. C.

7 DESCRIPTION

CONDITION

XEXCELLENT __DETERIORATED
__GOOD __RUINS
FAIR __UNEXPOSED

CHECK ONE

XUNALTERED
_ALTERED

CHECK ONE

X ORIGINAL SITE

MOVED DATE

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

Burlington is situated south of the Appomattox River and the Appomattox Canal, in Dinwiddie County. It is one of several notable eighteenth-century houses which line the river just upstream from Petersburg.

The story-and-a-half house is approached from the south along a long, tree-lined drive. Built of frame construction, with the north side nogged, and sheathed with beaded weatherboards, it has brick exterior end chimneys which, like the underpinning, are laid in Flemish bond. There are three pedimented dormers on each plane of the gable roof, and the whole is covered with slates. All of the windows have architrave frames, beaded sills, and nine-over-nine sash, as well as louvred blinds which are copies of an original found in the house at the time of its restoration in the mid-1950s. The original porches, with their pedimented gables and chamfered columns, were removed in the early twentieth century. They have recently been restored with the aid of the recollections of the carpenter who removed them.

Burlington has a center-passage, double-pile plan. There is a corner fireplace in the inside gable-end corner of each room and a two-run, open-well, open-string stair in the passage. The latter is constructed of black walnut. The banister is ramped and eased and scrolled at the newel. There are three turned balusters to each tread and thick, but graceful, sawn brackets on each spandrel. The wainscot used in the passage and both south rooms consists of a raised panel below, and a smaller one above, the asymmetrical chair rail and is carried up the stairs.

The southwest (living) room has an overmantel arrangement common in the area. It consists of a large, square raised panel flanked by tall, narrow ones with a range of three corresponding horizontal panels under them. A Federal mantel has replaced the original. This has a molded shelf and reeded pilasters, entablature blocks, and central tablet. A molded cornice is carried around the room.

The southeast (music) room has a similar overmantel arrangement and a bolection surroundand marble facing which are reproductions installed during the recent restoration. A molded cornice is used in this room as well.

Both of the rear (north) rooms have double-beaded chairboards rather than wainscoting. The woodwork in the west room (library) is a modern reproduction. The east room has the six-panel overmantel design as well as a later architrave surround and molded shelf. In this room is the most notable architectural feature of the house--a cupboard built into the northeast corner. Flanked by fluted Roman Doric pilasters with outsized capitals, it is composed of a lower section with single-panel raised-panel doors and an upper round-topped section with a carved keystone and neckings used under the impost blocks of the archivolt to suggest unfluted Doric pilasters recessed behind, and partly hidden by, the fluted ones. The interior of the upper portion is furnished with three dissimilar shelves vaulted by a semi-dome.

Burlington retains many of its early sash, doors, and hinges, one early wooden lock, and a number of nineteenth-century iron Carpenter's locks.

A one-story wing was added during the 1954 restoration.

Form No. 10-300a (Rev. 10-74)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY -- NOMINATION FORM

RECEIVED NOV 2 4 1975

DATE ENTERED APR 3 0 1976

CONTINUATION SHEET

#1

ITEM NUMBER

6

PAGE

1

REPRESENTATION IN EXISTING SURVEYS

(2) Virginia Historic Landmarks Commission Survey
1968 State
Virginia Historic Landmarks Commission
221 Governor Street
Richmond, Virginia 23219

Form 10-300a (July 1969)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

	Virginia				
S	COUNTY				
	Charles City				
	FOR NPS USE ONLY				
	ENTRY NUMBER	DATE			
		1318			

STATE

(Continuation Sheet) #1


(Number all entries)

6. REPRESENTATION IN EXISTING SURVEYS

(2) Historic American Buildings Survey Inventory 1958 Federal

Library of Congress Washington, D. C.

code: 11



Form 10-300a (July 1969)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

COUNTY Charles City FOR NPS USE ONLY ENTRY NUMBER DATE 1975

STATE

Virginia

(Continuation Sheet) #2

(Number all entries)

DESCRIPTION

The front entry reveal is treated with molded panels similar to those of the window reveals and is framed by symmetrically molded trim. The doorway into the ell, however, has architrave trim.

The dining room mantel is similar to that in the parlor, except that the paterae of the frieze and the symmetrical molding of the pilasters are replaced by reeding. The pent closet now serves as the passage into a kitchen in the twentieth-century wing.

A small frame, central-chimney outbuilding several hundred yards west of the house is the only remaining service building other than modern ones. Despite its early-twentieth-century date, it retains a traditional form and has been attributed to an unnamed local craftsman who reportedly built similar buildings for a number of farms in the vicinity.

DTU



8 SIGNIFICANCE

PERIOD	AR	EAS OF SIGNIFICANCE CH	ECK AND JUSTIFY BELOW		
PREHISTORIC	ARCHEOLOGY-PREHISTORIC	COMMUNITY PLANNING	_LANDSCAPE ARCHITECTURE	RELIGION	
1400-1499	_ARCHEOLOGY-HISTORIC	CONSERVATION	LAW	SCIENCE	
1500-1599	AGRICULTURE	ECONOMICS	LITERATURE	SCULPTURE	
_1600-1699	X_ARCHITECTURE	EDUCATION	MILITARY	SOCIAL/HUMANITARIAN	
XX1700-1799	ART	ENGINEERING	MUSIC	THEATER	
1800-1899	COMMERCE	EXPLORATION/SETTLEMENT	PHILOSOPHY	_TRANSPORTATION	
1900-	COMMUNICATIONS	INDUSTRY	POLITICS/GOVERNMENT	_OTHER (SPECIFY)	
		INVENTION			

SPECIFIC DATES

BUILDER/ARCHITECT

STATEMENT OF SIGNIFICANCE

Burlington Plantation's dwelling house is one of a number of architecturally similar mideighteenth-century houses scattered throughout Dinwiddie County. Set on a secluded site near the Appomattox River, it is, in addition, an important member of a group of fine houses, including Mannsfield and Olive Hill, which line the river in that section of Dinwiddie and Chesterfield counties, comprising an important remnant of the plantation land-scape west of Petersburg.

The early ownership of Burlington is uncertain. It is thought to have been built by the Atkinson or Jones families and to have been owned at an early date by Mordecai Barbour, who operated a mill nearby. An 1802 Mutual Assurance Society policy shows Robert Pleasants to have been the owner of the plantation at that time. Burlington later came into possession of the Friend family and was held by it for over a century. In 1953, after four years' vacancy, Alene G. Thompson purchased the property and had the house restored by contractor Melvin Belcher, under the supervision of architect Randolph Gailey. Burlington is presently owned by Mr. and Mrs. Robert W. Bates.

Burlington is related to several other fine Dinwiddie houses of the mid-eighteenth century in its use of the six-panel overmantel pattern and of the dado with a small panel above the chair rail. The similarities of detail and of workmanship are such, in fact, as to suggest a single builder or group of builders for all of the houses. It is the only one of the group, however, in which the dado is carried up the stairs. One of the outstanding features of the house is an impressive architectural corner-cupboard in the dining room. The cupboard is unique among Dinwiddie houses.

DTU

9 MAJOR BIBLIOGRAPHICAL REFERENCES Wyatt, Edward A. IV. Plantation Houses in and Around Petersburg. Petersburg, Va	a . •
reprinted from the Petersburg Progress-Index, 1955.	
Zehmer, John G. Jr., The Early Domestic Architecture of Dinwiddie County, Virgini	ia.
unpublished M.A. thesis, University of Virginia, 1970.	
10 GEOGRAPHICAL DATA	8
ACREAGE OF NOMINATED PROPERTY 34.7	
UTM REFERENCES	
A 1 1 8 2 8 1 2 0 0 4 1 2 2 3 2 0 B 1 8 2 8 1 2 0 0 4 1 2 1 9 6 ZONE EASTING NORTHING ZONE EASTING NORTHING	. 0
C 118 2 810 31610 41 1 21 2 01 110 P 118 2 810 31710 41 1 21 21 31 4	1 0
VERBAL BOUNDARY DESCRIPTION	
The Burlington property is bound on the north by the Upper Appomattox Canal (2500	
on the east by a creek feeding into said canal (300 feet); on the south by a line	
slightly southwest (2500 feet) along the south side of lake and continuing along	
line; on the west by a line following the tree line (800 feet), curving westward tree line to Route 600, fronting Route 600 (200 feet), thence extending eastward	
and curving northward to above-mentioned canal.	(400 Teet)
and curving northward to above-mentioned canar.	
LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES	
STATE CODE COUNTY CODE	
STATE · CODE COUNTY CODE	
11 FORM PREPARED BY	,
NAME / TITLE	
Virginia Historic Landmarks Commission Staff	
ORGANIZATION	
Virginia Historic Landmarks Commission August 1975	1.00
STREET & NUMBER TELEPHONE .	
221 Governor Street 804-786-3144 CITY OR TOWN STATE	
Richmond	
12 STATE HISTORIC PRESERVATION OFFICER CERTIFICATION	
THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS:	
THE EVALUATED SIGNIFICANCE OF THIS PROPERTY WITHIN THE STATE IS: NATIONAL STATE X LOCAL	
	9-665), I
NATIONAL STATE X LOCAL As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89 hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according	
NATIONAL STATE X LOCAL As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89)	
As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89 hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according criteria and procedures set forth by the National Park Service.	
As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89 hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according criteria and procedures set forth by the National Park Service. STATE HISTORIC FRESERVATION OFFICER SIGNATURE	
As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89 hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according criteria and procedures set forth by the National Park Service. STATE HISTORIC PRESERVATION OFFICER SIGNATURE TITLE Junius R. Fishburne, Jr., Executive Director: DATE OFFICER SIGNATURE	
As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89 hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according criteria and procedures set forth by the National Park Service. STATE HISTORIC PRESERVATION OFFICER SIGNATURE	g to the
As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89 hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according criteria and procedures set forth by the National Park Service. STATE HISTORIC PRESERVATION OFFICER SIGNATURE TITLE Junius R. Fishburne, Jr., Executive Director: Virginia Historic Landmarks Commission DATE OCT 2 1 19 DATE OCT 2 1 19	g to the
As the designated State Historic Preservation Officer for the National Historic Preservation Act of 1966 (Public Law 89 hereby nominate this property for inclusion in the National Register and certify that it has been evaluated according criteria and procedures set forth by the National Park Service. STATE HISTORIC PRESERVATION OFFICER SIGNATURE TITLE Junius R. Fishburne, Jr., Executive Director: Virginia Historic Landmarks Commission DATE OCT 2 1 19	g to the

Form 10-300a (July 1969)

UNITED STATES DEPARTMENT OF THE INTERIOR NATIONAL PARK SERVICE

NATIONAL REGISTER OF HISTORIC PLACES INVENTORY - NOMINATION FORM

(Continuation Sheet) #4

STATE	***************************************
Virginia	
COUNTY	
Charles City	
FOR NPS USE ON	_Y
ENTRY NUMBER	DATE

(Number all entries)

UGEOGRAPHICAL DATA

UTM REFERENCES

A 1,8 31,75,6,0 4,13,72,5,0 ZONE EASTING NORTHING C 1,8 31,87,0,0 4,13,63,4,0

B 1.8 | 3 1.8 7.0.0 | 4.1 3.7 2.2.0 |
ZONE EASTING NORTHING
D 1.8 | 3 1.7 5.4.0 | 4.1 3.6 3.6.0



